

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 1451-1531:100

Page 1 of 1

**CATEGORY:** Head-of-Wall/Wall-to-Wall Joint Systems

**LISTEE:** Metal-Lite Inc., 1160 North Blue Gum Avenue, Anaheim, CA 92806  
Contact: \*Andrew Herrero (714) 632-5736 Fax (714) 632-5738

**DESIGN:** Model "The System"<sup>TM</sup> head-of-wall joint system consisting of fluted steel deck/concrete floor, floor track, studs, slotted top track with stand-off washers and flute cover plates (where applicable) for use in approved systems listed under approval section. Refer to listee's data sheet for detailed product description and operational considerations.

<b>RATING:</b>	System No.	Assembly Rating
	HW-D-0027	2 Hr.
	HW-D-0028	1 Hr.
	HW-D-0051	2 Hr.
	HW-D-0052	1 Hr.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, classification and UL label.

**APPROVAL:** Listed as head-of-wall joint system when constructed and installed in accordance with UL Fire Resistance Directory. Approved systems:

HW-D-0027, HW-D-0028, HW-D-0051 and HW-D-0052

\*Rev. 06-06-2002



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued:

**JUNE 6, 2002**

*Listing Expires **June 30, 2003***

Authorized By:

**DIANE K. AREND**, Senior Deputy  
Program Manager